

ARMCHAIR / BONN

BONN

DIRECTOR'S SEATING



JDM
seating

Polígono La Portalada II / Cordonera, 5
CPY26006 – LOGROÑO (La Rioja)
Phone: 941-230752
Fax: 941-248977

ismobel.com

TABLE OF CONTENTS

- 1 / PRODUCT DESCRIPTION
- 2 / PHOTOGRAPHS
- 3 / REGULATIONS
- 4 / FINISHES

1/

DESCRIPTION AND TECHNICAL CHARACTERISTICS

Description of the product offered / • High-back ergonomic directional chair

model with or without headrest. • Also available in low backrest, swivel version and visitor version. • Backrest (high or low) with internal structure of round steel tube covered with non-deformable high-density injected foam of variable thickness (65 Kg/m³ density). Optionally incorporates a fully upholstered headrest.

- Seat with internal wooden structure covered in non-deformable high-density injected foam of variable thickness (65 Kg/m³ of density).
- Closed fixed arms made of cast aluminum with a gloss polished finish. Upholstered at the top. There is a version with arm painted in white, black or gray epoxy. • It has

the following adjustment mechanisms: .1 Mechanism for

synchronized adjustment of the back and seat movement, with an opening angle between seat and back, 128° backwards and 3° forwards. .2 Multiposition locking mechanism of the backrest with 7 locking positions, with anti-return system.

.3 The mechanism consists of two levers to activate the backrest synchronization – seat and seat height adjustment.

.4 The casing of the mechanism is made of aluminum and the support of the backrest and the seat in painted steel (anticorrosive treatment) .5

Mechanism for regulating the tension of the backrest, by means of a threaded knob that regulates the tension of the force of the inclination of the backrest (up to

135 kg). .6 The seat incorporates a multi-position adjustment mechanism for the depth of the seat with a 6cm travel. and adjustment of the inclination of the seat (14°). •

Swivel base with 5 spokes in aluminum with a gloss polished finish with a useful diameter

of 690mm. • The base incorporates 5 self-steering double wheels under load and self-braking with rolling surface

soft for hard floors or normal tread for soft floors. Diameter 60mm. • Seat, backrest

and armrests upholstered in any fabric from our catalogue. • Available in a fixed version

(without height adjustment) with a swivel system on a 4-spoke aluminum base

polished shine.

DIMENSIONS /



BONN A
115/127
57
50



BONN
105/117
57
50



BONN B
95/107
57
50



BONN P
95/107
57
50

Altura / Height / Haut
Anchura / Width / Large
Fondo / Depth / Fond

2/
PHOTOGRAPHS



Polígono La Portalada II / C. Cordonera Nº 5 / CP-26006 – LOGROÑO (La Rioja) / Telephone: 941-230752 / Fax: 941-248977



3/

NORMATIVE

Regulations that it complies with (Annexes are attached)

- ISO 9001 quality certificate.
- ISO 14001 Environmental Certificate.
- TECNALIA quality mark certificate.

4/

FINISHES

ACABADOS BRAZOS Y BASES / ARMS AND SWIVEL FINISHES / FINITIONS D'ACCOUDOIRS ET PIÈTEMENTS

ALUMINIO PULIDO



Polished Aluminum
Aluminium Poli

BLANCO



White
Blanc

NEGRO



Black
Noir

OTROS ACABADOS / OTHER FINISHES / AUTRES FINITIONS

Acabados y tipologías de bases, ruedas, brazos y mecanismos:
Consultar tarifa.

Finishes, types of bases, castors, armrest and mechanisms.
Check price list.

Finitions et types de piètement, roués, accoudoirs et mécanismes.
Consulter le tarif.

TAPICERÍAS / UPHOLSTERY / TAPISERIES

Las sillas se pueden tapizar con cualquier tejido o piel de nuestro muestrario (pág. 252) o con tejidos suministrados por el cliente.

Chairs can be upholstered in a any fabric or leather of our sample book (pag. 252) or in COM.

Les chaises peuvent être tapissées avec n'importe quel tissu ou cuir de notre échantillonnage (pag. 252) Ou avec les tissus fournis par le client.