SADDLE / CORSE

CORCEGA

OPERATING SEATING





Polígono La Portalada II / Cordonera, 5 CPÿ26006 – LOGROÑO (La Rioja) Phone: 941-230752 Fax: 941-248977

ismobel.com

TABLE OF CONTENTS

1 / PRODUCT DESCRIPTION

2 / PHOTOGRAPHS

3 / REGULATIONS

4 / FINISHES

5/ PICTOGRAMS

1/

DESCRIPTION


AND TECHNICAL CHARACTERISTICS

Description of the product offered /

- High back ergonomic swivel chair with adjustable headrest option. Technical chair designed and manufactured for intensive use. High backrest
- with tensoelastic technical mesh netting clipped to a polyamide fiber-filled perimeter frame made of resistant and flexible glass.
- It can optionally incorporate a headrest adjustable in height and inclination upholstered to match the the seat.
- Available mesh colors ÿ To be chosen by the property. The tension of the mesh allows a correct support of the user's back without deformations. Ergonomic seat with 12mm beech plywood support. with molded polyurethane foam with an average density of 60 Kg/m3, on which the fabric is placed. Optionally it can be served with an extra pad for greater comfort. Outer seat shell manufactured by polypropylene injection. It has a synchro mechanism composed of:
 - ÿ Synchronized adjustment mechanism for the movement of the backrest and seat, with an angle of opening between the seat and the backrest, backwards of 128° and forwards
 - of 3°. ÿ Multiposition locking mechanism of the backrest with 5 locking positions, with anti-return system.
 - ÿ The mechanism consists of two levers to activate the synchronization of the backrest seat and seat height adjustment.
 - ÿ The mechanism casing is made of aluminum and the support of the backrest and Painted steel seat (anti-corrosion treatment) ÿ Backrest
 - lumbar tension regulation mechanism, through an adjustable self-weighting system that regulates the tension of the backrest tilt force (up to 135 Kg.). ÿ It has an independent lumbar
 - reinforcement, adjustable in height 7cm.
- The seat incorporates a multi-position adjustment mechanism for the depth of the seat with a 7cm travel. and adjustment of the inclination of the seat (14°).
- Height adjustable seat by means of an oleo-pneumatic piston with a damping effect.
- Fixed arms in black polyamide, adjustable in height, 3D arms (adjustable in height 6cm (7 positions), rotation, depth 6cm and width) or 4D arms. Manufactured in elliptical steel tube finished in black epoxy paint. It incorporates a black anti-scratch semi-rigid polyurethane finish on its back. Five-spoke swivel base made
- of polyamide 6+30% fiberglass (Marking: >PA6+GF30<) with a 600mm diameter. Optionally it can be served in polished aluminum finish. The base incorporates five self-orienting double
- wheels of 50mm. in diameter (hard or soft) that allow excellent rolling on any type of surface. Optionally they can be self-braking or with a larger diameter (65mm.).



• Seat upholstered in the fabric and color to be chosen by the owner from among all the ranges of JDM SILLERIA SL. • Chair Almost 85% recyclable and antistatic (as long as the appropriate fabric and wheels are chosen) DIMENSIONS /



2/ PHOTOGRAPHS













3/

NORMATIVE

Regulations that it complies with (Annexes are attached)

- ISO 9001 quality certificate.
- ISO 14001 Environmental Certificate.
- TECNALIA quality mark certificate.

4/

FINISHES

