SERIES / ARGOS

# ARGUS

COMPREHENSIVE OFFICE EQUIPMENT. TABLES, CABINETS and DRAWER BLOCKS





Polígono La Portalada II / Cordonera, 5 CP-26006 – LOGROÑO (La Rioja) Telephone: 941-230752 Fax: 941-248977

ismobel.com

### **INDEX CONTENTS**

- 1 / PRODUCT DESCRIPTION
- 2 / PHOTOGRAPHS
- 3 / REGULATIONS
- 4 / FINISHES
- 5/ PICTOGRAMS

1/

#### **DESCRIPTION**

#### AND TECHNICAL CHARACTERISTICS

Description of the product offered /

- Table tops made of 25mm particle board. thick, bilaminated finish (made with PEFC certification). Finish to choose from all our designs.
- Optionally they can be served in: .1 Laminated

finish on chipboard (HPL) .2 Phenolic (COMPACMEL) .3 Varnished natural wood veneer on chipboard.

- 2mm PVC/ABS straight edges. thick applied with hot melt glue (100% recyclable) with all The edges are rounded with a 2mm radius.
- The cover may have a cable gland hole with a decorative cover or a TOP ACCESS (metallic or plastic) located in the place indicated by the property and in the chosen finish.
- The structure consists of 4 metal legs made of 50x30x2mm steel tube. Epoxy paint finish color to choose from. Also available with 4 60x35mm plywood legs. Finished in natural beech veneer varnished in polyurethane. They incorporate a leveler made of black non-slip thermoplastic with a 25 mm adjustment. in height.
- The legs are joined together by a 20cm recessed metal frame. under the table. The frame is made up of 30x20x2mm metal tubes. that give rigidity to the structure. White epoxy paint finish.
- Coating of the metal parts in epoxy powder paint with 80 microns after phosphating. Antioxidant, guaranteeing 200 hours of salt fog.
  Characteristics: .1 Resistance to chemical agents for domestic use UNE 48027:1980 5

(24H), 4 (72H). .2 Resistance to mechanical damage: UNE-EN ISO 2409:2007 Classification: 0. .3 Fall of a mass: UNE-EN ISO 6272-1:2004, at 500 mm without cracking. .4 Resistance to humidity:

UNE-EN ISO 6270-1:2002 without alteration. .5 Accelerated aging: UNE EN ISO 11507:2007 24H loss of gloss

- Height adjustment (+/ÿ 3cm.) using PP levelers with a diameter of 50mm. and M10, black color, with non-slip sole included on the legs. Table height 740mm.
   Joining the board to the structure using "metal to metal" joints.
- The structure complies with the following regulations: .1

Regarding dimensions: EN 527-1:2000 Aptd 3,4,5. .2 Regarding safety requirements: EN 527-2:2002 Aptd 3,4 .3 Regarding mechanical tests: EN 527-3:2003 Aptd 6.1 to 6.6.

• It can incorporate a front skirt in the same finish as the 19mm table. thick, attached to the support structure using metal fastening brackets. The skirt can also be metallic. • Front, side or separator panels attached to cabinets of different heights and materials

(melamine, methacrylate, upholstery or sound-absorbing).

• There is the possibility of making electrified BENCH format tables using a central leg made of melamine with three independent channels. This electrified system connects the system through a metal frame.





- It can incorporate a metal electrification channel to collect cables. This is attached to the support structure and is placed along the board. Made of 1 mm steel sheet. They come in different sizes and single or double for seats in BENCH format.
- There is the possibility of incorporating high-capacity central electrification with double folding cover with hidden hinge. This solution allows easy access to the entire electrification tray.
- In addition, to raise cables from the ground to the electrification channel, a plastic cable gland profile (vertebra), a totem made of aluminum profile or a metal accessory finished to match the structure.
- In the case of incorporating a table wing, it has the same characteristics as the table. (top, leg and double frame that connects with the table frame forming a stable and robust assembly) The ARGOS series allows the creation of triangular, square, rectangular MULTIPURPOSE, etc. that

They provide new ways to take advantage of and compartmentalize the workspace.

• There are classic meeting tables and new meeting positions with normal table height or 100cm height. for meetings at height. These types of tables are supported by melamine or upholstered boards that allow hidden wiring to pass through them. • There are socket

boxes prepared to be attached or embedded in the different tables in the series. • The series is completed with a range of sliding door wardrobes of different heights, widths and configurations. In addition to a new resized drawer unit for new work habits. • There is the possibility of electrifying the cabinets using different systems suitable for each need.









# 2/ PHOTOGRAPHS









3/

## **NORMATIVE**

Regulations that comply (Appendixes are attached)

• ISO 9001 quality certificate. • ISO 14001 Environmental Certificate. • ISO 14006 ECODESIGN Certificate. • TECNALIA quality mark certificate. • TECNALIA product certificate.



## **FINISHES**



