

CHAIR / PALM

PALM

OPERATING SEATING



JDM
seating

Polígono La Portalada II / Cordonera, 5
CP 26006 – LOGROÑO (La Rioja)
Phone: 941-230752
Fax: 941-248977
ismobel.com

TABLE OF CONTENTS

- 1 / PRODUCT DESCRIPTION
- 2 / PHOTOGRAPHS
- 3 / REGULATIONS
- 4 / FINISHES
- 5 / PICTOGRAMS

1/

DESCRIPTION


AND TECHNICAL CHARACTERISTICS

Description of the product offered /

PRESTACIONES	4 pieds 4 leg base 4 apoyos	base gratatoria 5 star swivel base 5 radios gratoria
Antirretorno del bloqueo de respaldo	x	●
Respaldo regulable en altura	x	x
Tapizado asiento	○	○
Carcasa de polipropileno	●	●
Apoyo lumbar regulable en altura	x	x
Asiento regulable en altura con cilindro de gas	x	●
Asiento regulable en profundidad	x	x
Brazos regulables 4D (altura y profundidad y ángulo de tapa; anchura)	x	x
Base de 5 radios gratoria poliamida	x	●
Base de 5 radios gratoria aluminio pulido	x	●
Ruedas autofrenadas de doble roldana con rodadura blanda o dura	x	●
Cabecero regulable en ángulo	x	x

- Mid-back ergonomic swivel chair with arms. Technical chair designed and manufactured for operational use and for use in meeting rooms. • Medium backrest with tensoelastic technical mesh netting clipped to a polyamide perimeter frame with resistant and flexible fiberglass. Always BLACK mesh color and black or white plastics. • The tension of the mesh allows a correct support of the user's back without deformations. • Ergonomic seat with 12mm beech plywood support. with molded polyurethane foam with an average density of 60 Kg/m3, on which the fabric is placed. Optionally it can be served with an extra pad for greater comfort.
- Seat upholstered in fabric and color to choose from among all the JDM SILLERIA SL ranges. • Outer seat shell manufactured by injection of black or white polypropylene. • Fixed arms included injected in black or white polyamide. • It has a tilting mechanism with a small oscillation with the option of total blocking in the starting position. The mechanism casing is made of aluminum and painted steel (anti-corrosion treatment) in white or black.
- Height adjustable seat by means of an oleo-pneumatic piston with a damping effect. • Five-spoke swivel base made of polyamide 6+30% fiberglass (Marking: >PA6+GF30<) with a 600mm diameter. in white or black. Optionally it can be served in polished aluminum finish. • The base incorporates five self-orienting double wheels of 50mm. in diameter (hard or soft) that allow excellent rolling on any type of surface. Optionally they can be soft, self-braking or with a larger diameter (65mm.). • Available with skid frame with arms with the same features as the swivel version. • Almost 85% recyclable chair and antistatic (as long as the appropriate fabric and wheels are chosen)

DIMENSIONS /

2/
PHOTOGRAPHS



3/ NORMATIVE

Regulations that it complies with (Annexes are attached)

- ISO 9001 quality certificate.
- ISO 14001 Environmental Certificate.
- TECNALIA and AIDIMME quality mark certificate.

4/ FINISHES

ACABADOS MALLAS / MESH FINISHES / FINITIONS MAILLES

NEGRO



Black
Noir

ACABADOS PLÁSTICOS Y BRAZOS

PLASTIC FINISHES AND ARMREST / FINITION DE PLASTIQUES ET ACCOUDOIRS

NEGRO



Black
Noir

BLANCO



White
Blanc

ACABADOS BASES / BASES FINISHES / FINITIONS PIÈTEMENTS

ALUMINIO PULIDO



Polished Aluminum
Aluminium Poli

NEGRO



Black
Noir

BLANCO



White
Blanc

OTROS ACABADOS / OTHER FINISHES / AUTRES FINITIONS

Acabados y tipologías de bases, ruedas, brazos
y mecanismos:
Consultar tarifa.

Finishes, types of bases, castors, armrest
and mechanisms.
Check price list.

Finitions et types de piètement, roués, accoudoirs
et mécanismes.
Consulter le tarif.

TAPICERÍAS / UPHOLSTERY / TAPISSERIES

Las sillas se pueden tapizar con cualquier tejido o piel de
nuestro muestrario (pág. 294) o con tejidos suministra-
dos por el cliente.

Chairs can be upholstered in a any fabric or leather of our
sample book (pag. 294) or in COM.

Les chaises peuvent être tapissées avec n'importe quel
tissu ou cuir de notre échantillonnage (pag. 294)
Ou avec les tissus fournis par le client.